Samsung ES Series is a convenient point and shoot digital camera range. Its ease of use and affordable price make your photo life convenient.

Capture More Of Your Life

You already have the eye. Now all you need is the camera to capture the world exactly the way you see it. The ES75 combines a 27mm ultra wide angle lens with a 5x zoom. Letting you can fit more in frame while delivering a deeper perspective. And the 14.2 mega pixels provides the sharp, crisp detail to reveal all kinds of things. Including what a great photographer you are.

Just what you had in mind

You see the image you want in your head. You point the ES75. And Smart Auto sees it too. This scene recognition technology actually chooses from 16 different settings ranging from landscape to portrait automatically. Then adjusts for the perfect shot. Whether it's catching your friends on a night
on the town or a waterfall off a mountain. What you get is exactly what you had in mind. Plus all the credit.

The camera loves you.

No one has a bad side with ES75's Perfect Portrait system. Sure it fixes red-eye, but this next generation face detection technology even detects blinking. So you're always sure eyes are open and smiles are bright. In addition it evens skin tones, erases blemishes and removes dark circles. And with different level settings, you Can control how much retouching you do. Not that your friends and family need any.

Lost. And then found.

Say you've got about 2,000 photos stored on your ES75 and you're looking for one in particular. You could flip through all 2000 or have the Smart Album feature do it for you. It will search and find photos just the way you want. Go straight to that shot you took whether it was last week or last Friday. You can search by color ton, or even by file type. So no matter how many memories you have crammed onto your memory card, getting directly to the one you want is a no brainer.

When it comes to brightness, it’s brilliant.

When we engineered the Samsung ES75 to be bright, we meant it in both senses of the word. It’s intelligent and luminous, both. It has a2.7” LCD for improved contrast and color reproduction, which allows you to enjoy a wider and clearer image. And its Intelligent LCD brightness auto-matically detects environmental illumination and adjusts the LCD brightness for optimal image viewing. It does the thinking for you, which makes the ES75 a smart choice.

Protects with style.

The Samsung ES75 comes with an Anti-scratch Maskthat protects the surface of your camera from scratches while also giving you a unique look and style that stands out from the crowd. And with improved comfort and grip, the ES75 will fit more securely in your hands. Durability, design, and comfort - brought to you by Samsung Digital Cameras.

VGA quality video. Now in a compact camera.

If you prefer still shots to movies but want to leave your options open the ES75 is right for you. You'll get 640x480 quality video at 30 frames per second. You even can use the 5x optical zoom to get up close and vividly personal. And when things get dicey, you can even pause your recording. You'll give up nothing, except carrying around that extra camera.

Digital Image Stabilization (DIS)

Even the tiniest shake can ruin your shot. The ES75’s Digital Image Stabilization solves that. Digital Image Stabilization gives you sharp images no matter the condition. Whether it’s low light, zooming or just a case of plain old shaky hands, your photos come out sharp and clear. So let the ES75 shake things up. In a good way.

High Sensitivity ISO 1600

Nobody likes low-light noise. And with the ES75 you won’t get any. Its ISO of 1600 delivers crystal clear indoor shots even in low light and sharp details on fast moving objects. So turn down the lights and have some fun.

Image sensor	**Type**	1/2.33 (Approx. 7.763 mm) CCD
	Effective Pixel	Approx. 14.2 Mega-pixel
	Total Pixel	Approx. 14.48 Mega-pixel
Lens	**Focal Length**	SAMSUNG Lens f = f4.924.5mm (f27135mm 35mm film equiv.)
	F No.	F3.5(W) ~ F5.9(T)
	Digital Zoom	"Still Image mode : 1.0X ~3.0X Play mode : 1.0X ~ 13.5

		X (depends on image size, Min. size is 320x240)"
Viewfinder	**Electronic Viewfinder**	N/A
	LCD Monitor	2.7" (6.9cm), 230K
Focusing	**Type**	TTL auto focus (Multi AF, Center AF, Face Detection AF)
	Range	Normal : 80cm ~ infinity(Wide), 100cm~infinity(Tele)Macro : 5cm~80cm (Wide), 100cm~150cm (Tele)Auto Macro : 5cm~Infinity (Wide),
Shutter	**Speed**	Auto : 8 ~ 1/2,000 sec.,Program : 1 ~ 1/2,000 sec. Night : 8 ~ 1/2,000 sec.,Fireworks : 2 sec.
Exposure	**Control**	Program AE
	Metering	Multi, Spot, Center Weighted, Face Detection AE
	Compensation	±2EV (1/3EV steps)
	ISO Equivalent	Auto, 80, 100, 200, 400, 800, 1600
Flash	**Modes**	Auto, Auto & Red-eye reduction, Fill-in flash, Slow sync, Flash off, Red Eye Fix
		Wide : 0.2m ~ 2.68m, Tele : 0.5m ~ 1.59m (ISO AUTO)
	Recharging Time	Approx. 4 sec.
Effect	**Sharpness**	Soft+, Soft, Normal, Vivid, Vivid+
	White Balance	Auto, Daylight, Cloudy, Fluorescent_H, Fluorescent_L, Tungsten, Custom
Shooting	**Still Image**	Mode: Smart Auto, Program, DIS,Photo help Guide , Scene *Smart Auto:Portrait, Night Portrait, Backlight Portrait, Macro Portrait, Backlight, Landscape, White, Action, Tripod, Night, Macro, Macro Text, Blue Sky, Sunset Sky, Macro Color, Natural Green Scene : Beauty Shot, Frame Guide, Night, Portrait, Children, Landscape, Close Up, Text, Sunset, DownDawn, Backlight, Fireworks, Beach & Snow Continuous: Single, Continuous, Motion Capture, AEB Self-timer: 10sec.2sec., Double, Motion Timer
	Movie Clip	With Audio or without Audio (user selectable, recording time : Max 2 hours) Size :640x480, 320x240 5x Optical Zoom Frame rate : 30 fps, 15 fps
Storage	**Media**	Internal memory: Approximately 10.5MB flash memory External memory: SD Card(up to 2GB guaranteed) SDHC (up to 8GB guaranteed) * Internal memory capacity is subject to change without prior notice.
	File Format	Still Image : JPEG (DCF), EXIF 2.21, DPOF 1.1, PictBridge 1.0 Movie Clip : AVI (MJPEG) Audio : WAV
	Image Size	14M: 4320 x 3240 pixels12M: 4000 x 3000 pixels12MP: 4320 x 2880 pixels10MW :4320 X 2432 pixels8M: 3264 x 2448 pixels 5M: 2560 x 1920 pixels3M: 2048 x 1536 pixels 2MW: 1920 x 1080 pixels1M: 1024 x 768 pixels
Image Play	**Type**	Single image, Thumbnails, Multi Slide show, Movie Clip* Slide show : Slide show with Effect & Music

Interface	**Digital Output Connector**	USB 2.0
	Audio	Microphone : Mono Internal Speaker : Mono
	Video output	AV : NTSC, PAL (user selectable)
	DC power input connector	4.2V
Power Supply	**Power Source**	Rechargeable battery : BP-70A, 3.7V Charger: SAC-48 DC power input connector : 20pin
Physical Specification	**Dimensions (WxHxD)**	96.3 X 58.3 X20.8mm
	Weight	121.3g
	Operating Temperature	0 ~ 40 °C
	Operating Humidity	5 ~ 85%
Software	**Application**	Intelli-studio, Adobe Reader
Voice Recording		Voice Recording (max. 10 hours) Voice Memo in Still Image (max. 10 sec.)
Date Imprinting		Date&Time, Date, Off (user selectable)

Features and specifications are subject to change without prior notification.

Copyright@ 2007 SAMSUNG. ALL rights reserved